

दिल्ली विश्वविद्यालय UNIVERSITY OF DELHI

स्थापना शाखा-II (I) ESTABLISHMENT BRANCH-II (I) कमरा न. २०३ Room No. 203 प्रशासनिक खण्ड Administrative Block दिल्ली - १९० ००७ Delhi - 110 007 Tel. No. 27667725 Extn. 1168 Ref. No. Estab.II(i)2011/ 11th January, 2012

CIRCULAR

The Dean of the Faculties/ The Head of the Department/ The Principal of all Colleges/ Officers/Branch In-charges of/ University of Delhi, Delhi.

Dear Sir/Madam,

I am forwarding herewith copy of the following office memorandum on the subject mentioned below received from the Government of India for your information and necessary action:-

SI. No.	O.M. No.	Subject
	F.No. Misc.1002/2006/CGHS (R&H)/CGHS(P) dated 31 st October, 2011 of Government of India Ministry of Health & Family Welfare, Department of Health & Family Welfare	Revision of Ceiling Rates and guidelines for various Coronary/Vascular Stents for CGHS/CS (MA) beneficiaries

The above O.M. will be reported in the Executive Council at its next meeting.

Yours faithfully,

Norm

Assistant Registrar – Estab.(NT)

Encl: As above



F.No. Misc.1002/2006/CGHS(R&H)/ CGHS(P) Government of India Ministry of Health & Family Welfare Department of Health & Family Welfare

> Maulana Azad Road, Nirman Bhawan New Delhi 110 108 dated the 31st October, 2011.

OFFICE MEMORANDUM

Subject: Revision of Ceiling Rates and guidelines for various Coronary / Vascular Stents

In supersession of the Office Memorandum of even No. dated 12.09.2007 of the Ministry of Health & Family Welfare for the revised rates and guidelines for Coronary / Vascular Stents for reimbursement of CGHS/CS(MA) beneficiaries, all DCGI approved Coronary / Vascular Stents are approved for reimbursement to CGHS/CS(MA) beneficiaries as per the ceiling rates mentioned below:

1, DRUG ELUTING CORONARY STENTS

All DCGI and FDA approv

ii. All DCGI and CE approved Drug Eluting Ster iii. All DCGI approved Drug Eluting Steri	ts - Rs.50,000/-
2. BARE METAL CORONARY STENTS	- Rs.40,000/-
 i) STAINLESS STEEL STENTS ii) COBALT STENTS a) All DCGI and FDA approved b) All DCGI and CE approved c) All DCGI approved 	- Rs.12000/- - Rs.20,000/- - Rs. 18,000/- - Rs.15,000/-
iii) COATED / OTHER STENTS 3. BARE METAL VASCULAR (ALC	
 3. BARE METAL VASCULAR (NON CORONARY) STE i) STAINLESS STEEL STENTS ii) COBALT STENTS iii) NITINOL / OTHER STENTS 	ENTS - Rs.20000/- - Rs.22,000/-

- Rs.25,000/-Reimbursement to beneficiaries /empanelled hospitals shall be limited to ceiling rates or as per actuals, whichever is lower.

21/2/2011

2. Coronary Stents shall be permitted on the advice of Govt. Specialist, of which not more than two shall be of Drug Eluting Stents. Permission shall be granted as per the laid down procedure.

If more than two drug eluting stents are implanted in an empanelled hospital and no written informed consent was obtained from the beneficiary that he/she would bear the difference in cost between the DES and Bare Metal Stent, and the hospital has charged this amount from the beneficiary, the additional amount shall be deducted from the pending bills of hospitals and shall be paid to the beneficiary.

3. It is essential for the empanelled hospitals to quote the Batch number when a coronary/ vascular stent of any type is implanted in the case of a CGHS/CS (MA) beneficiary and also enclose a copy of the relevant invoices pertaining to the procurement of the stents by the hospitals. In addition to this, the outer pouch of the Stent packet along with the sticker on it on which details of the stent are printed shall also be enclosed with the medical bill for claiming reimbursement from the Govt. In case of treatment from a private non-empanelled hospital, where the treatment was taken in an emergency, it is the responsibility of the beneficiary to obtain the batch number , invoice and outer pouches of the stent(s) before the submission of the medical claim to CGHS/ concerned department, as the case may be.

4. The empanelled hospital shall submit a self certified undertaking that the hospital has not charged the CGHS / CS(MA) beneficiary more than the rate at which the stent has been procured by the hospital and incase of any detection and establishment that the hospital has overcharged the hospital shall be removed from the list of hospitals empanelled under CGHS without any further notice.

5. UTI-TSL, while processing the hospital bills of coronary / vascular stents shall ensure that the hospitals have enclosed copies of the relevant invoices pertaining to the procurement of the stents by the hospitals and the outer pouch of the Stent packet along with the sticker on it on which details of the stent are printed and that the prescribed rates and the guidelines have been followed, before making provisional payments to the hospitals.

6. The revised rates and guidelines shall come into force from the date of issue and shall be in force for a period of one year or till they are revised, whichever may be earlier.

7. This issues with the concurrence of Finance Division vide Dy.No. 2979 dated 20.10.2011 of the office of AS&FA, Min. of H&FW.

2

(JAI PRAKASH) UNDER SECRETARY TO GOVERNMENT OF INDIA Tel.No. 23061881

Copy to:

- 1 All Ministries / Departments, Government of India
- 2 Director, CGHS, Nirman Bhawan, New Delhi
- 3 Adl.DDG(HQ)/All Additional Directors / Joint Directors of CGHS cities outside Delhi
- 4 All Pay & Accounts Officers under CGHS 5 Additional Director (Hars) / Additional Dire
- 5 Additional Director (Hqrs) / Additional Director (SZ)/ (CZ)/(EZ)/(NZ), CGHS, New Delhi